

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:	Zare et al.		
Title:	Bonded Phase Photopolymerized Sol-Gel Column and Associated Methods		
Patent No.:	6,884,346	Issue Date:	April 26, 2005
Application No.:	09/978,515	Filing Date:	October 15, 2001
Examiner:	Ernest G. Therkhorn	Group Art Unit:	1723
Docket No.:	STNB.066US1	Conf. No.:	5049

---

Attn: Certificate of Correction Branch Of The Patent Issue Division  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**REQUEST FOR ENTRY OF CERTIFICATE OF CORRECTION**

Sir:

Please enter the enclosed Certificate of Correction (PTO Form 1050) in the above patent.

The errors sought to be corrected were not made by the USPTO (at least in part). The appropriate fee under 37 CFR §1.323 has been authorized below.

Please correct the following errors listed below.

Column 8, line 48, please delete "includes" and insert --include--.

Column 11, lines 8-9, please delete "Methacryloxypropyltrimetoxysilane" and insert --Methacryloxypropyltrimethoxysilane--.

Column 12, line 2, please delete "removed" and insert --remove--.

Column 12, line 27, please delete "(v/v)" and insert --(v/v/v)--.

Column 12, line 41, please delete "bienzanthracene" and insert --dibenzanthracene--.

Column 12, line 50, please delete "ethylene benzene" and insert --ethyl benzene--.

EFS Filing  
Attorney Docket No.: STNB.066US1

Patent No.: 6,884,346

Column 13, line 63, please delete “Xl-1500” and insert --XL-1500--.

Column 14, line 61, please delete “poroux” and insert --porous--.

Column 15, lines 19-20, please delete “electropherogram” and insert --electrochromatogram--

Column 15, line 31, please delete “The peak” and insert --The corrected peak--.

Column 15, line 33, please delete “arbitrary units/min”.

Column 16, line 4, please delete “angiotensis” and insert --angiotensin--.

Column 16, line 66, please delete “experimentation” and insert --experimental--.

Column 23, line 23, please delete “(Rs=2.43)” and insert --(R<sub>s</sub>=2.43)--.

Please correct the following errors made by the USPTO.

Column 12, line 48, please delete “20° C.” and insert --20° C--.

Column 13, line 5, please delete “20° C.” and insert --20° C--.

Column 22, line 37, please delete  $k=(t_R-t_o)/t_o$  and insert -- $k=(t_R-t_0)/t_0$ --.

Column 22, line 38, please delete “t<sub>o</sub>” and insert --t<sub>0</sub>--.

Column 23, line 31, please delete “k<sub>N</sub> and k<sub>py</sub>” and insert -- k<sub>N</sub> and k<sub>py</sub>--.

Column 23, lines 33-34, please delete “k<sub>N</sub> and k<sub>py</sub>” and insert -- k<sub>N</sub> and k<sub>py</sub>--.

Column 23, line 35, please delete “k<sub>N</sub>” and insert --k<sub>N</sub>--.

Column 23, line 35, please delete “k<sub>py</sub>” and insert --k<sub>py</sub>--.

Column 23, line 50, please delete “k<sub>N</sub>” and insert --k<sub>N</sub>--.

Column 23, line 50, please delete “k<sub>py</sub>” and insert --k<sub>py</sub>--.

Column 23, line 56, please delete “k<sub>N</sub>” and insert --k<sub>N</sub>--.

Column 23, line 57, please delete “k<sub>py</sub>” and insert --k<sub>py</sub>--.

Column 23, line 58, please delete “k<sub>N</sub>” and insert --k<sub>N</sub>--.

Column 23, line 58, please delete “ $k_{py}$ ” and insert -- $k_{py}$ --.

Column 24, line 33, please delete “suture” and insert --structure--.

Column 25, line 46, please delete “(panel c)” and insert --(panel e)--.

Column 25, line 65, please delete “PSGCF<sub>13</sub>” and insert --PSG-CF<sub>13</sub>--.

Column 26, line 38, please delete “(pH 24)” and insert --(pH 2-4)--.

Column 26, line 44, please delete “Diffusion” and insert --Diffusional--.

Column 26, line 56, please delete “factor a” and insert --factor  $\alpha$ --.

Column 28, line 34, please delete “angiotensin I” and insert --angiotensin II--.

These mistakes occurred in good faith under the following circumstances:

☒ due to clerical and/or typographical error; and/or


☒ are of minor character because they do not materially affect the scope or meaning

of the patent (37 CFR §1.322; M.P.E.P. §1481).

The fee of \$100.00 has been authorized via EFS to Deposit Account 502664. The Commissioner is hereby authorized to charge any additional fees, which may be required, or credit any overpayment to Deposit Account 502664.

Please direct all inquiries concerning this request to the undersigned attorney at (415)  
318-1160.

Respectfully submitted,

A handwritten signature in cursive script, appearing to read "Alison de Runtz".

K. Alison de Runtz  
Reg. No. 37,119

PARSONS HSUE & DE RUNTZ LLP  
595 Market Street, Suite 1900  
San Francisco, CA 94105  
(415) 318-1160 (main)  
(415) 693-0194 (fax)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,884,346  
ISSUE DATE : April 26, 2005  
INVENTOR(S) : Richard N. Zare et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 8, line 48, please delete "includes" and insert --include--.

Column 11, lines 8-9, please delete "Methacryloxypropyltrimetoxysilane" and insert --Methacryloxypropyltrimethoxysilane--.

Column 12, line 2, please delete "removed" and insert --remove--.

Column 12, line 27, please delete "(v/v)" and insert --(v/v/v)--.

Column 12, line 41, please delete "bienzanthracene" and insert --dibenzanthracene--.

Column 12, line 48, please delete "20° C." and insert --20° C--.

Column 12, line 50, please delete "ethylene benzene" and insert --ethyl benzene--.

Column 13, line 5, please delete "20° C." and insert --20° C--.

Column 13, line 63, please delete "X1-1500" and insert --XL-1500--.

Column 14, line 61, please delete "poroux" and insert --porous--.

Column 15, lines 19-20, please delete "electropherogram" and insert --electrochromatogram--.

Column 15, line 31, please delete "The peak" and insert --The corrected peak--.

Column 15, line 33, please delete "arbitrary units/min".

Column 16, line 4, please delete "angiotensis" and insert --angiotensin--.

Column 16, line 66, please delete "experimentation" and insert --experimental--.

Column 22, line 37, please delete  $k=(t_R-t_o)/t_o$  and insert  $--k=(t_R-t_0)/t_0--$ .

Column 22, line 38, please delete " $t_o$ " and insert  $--t_0--$ .

Column 23, line 23, please delete " $(R_s=2.43)$ " and insert  $--(R_s=2.43)--$ .

Column 23, line 31, please delete " $k_N$  and  $k_{py}$ " and insert  $--k_N$  and  $k_{py}--$ .

Column 23, lines 33-34, please delete " $k_N$  and  $k_{py}$ " and insert  $--k_N$  and  $k_{py}--$ .

Column 23, line 35, please delete " $k_N$ " and insert  $--k_N--$ .

Column 23, line 35, please delete " $k_{py}$ " and insert  $--k_{py}--$ .

Column 23, line 50, please delete " $k_N$ " and insert  $--k_N--$ .

Column 23, line 50, please delete " $k_{py}$ " and insert  $--k_{py}--$ .

Column 23, line 56, please delete " $k_N$ " and insert  $--k_N--$ .

Column 23, line 57, please delete " $k_{py}$ " and insert  $--k_{py}--$ .

Column 23, line 58, please delete " $k_N$ " and insert  $--k_N--$ .

Column 23, line 58, please delete " $k_{py}$ " and insert  $--k_{py}--$ .

Column 24, line 33, please delete "suture" and insert  $--structure--$ .

Column 25, line 46, please delete "(panel c)" and insert  $--(panel e)--$ .

Column 25, line 65, please delete " $PSGCF_{13}$ " and insert  $--PSG-CF_{13}--$ .

Column 26, line 38, please delete "(pH 24)" and insert  $--(pH 2-4)--$ .

Column 26, line 44, please delete "Diffusion" and insert --Diffusional--.

Column 26, line 56, please delete "factor a" and insert --factor  $\alpha$ --.


Column 28, line 34, please delete "angiotensin I" and insert --angiotensin II--.

MAILING ADDRESS OF SENDER:

K. Alison de Runtz  
PARSONS HSUE & DE RUNTZ LLP  
595 Market Street, Suite 1900  
San Francisco, California 94105

PATENT NO. 6,884,346

No. of additional copies



This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

*If you need assistance in completing this form, call 1-800-PTO-9199 and select option 2.*